Hints and Tips

PLACEMENT OF YOUR MICROWAVE OVEN

Your microwave oven must be placed on a flat, stable surface.
For proper operation, it must have sufficient air flow to the air vents, allow a minimum of 5cm (2 inches) at the sides, rear and top.

Do not place the microwave on a shelf directly above or alongside a gas, electric hob, or cooker and do not place items on the top of the microwave which may block the rear air vents.

Certain ovens may be stacked, (check the microwave's operation manual) however, make sure that they are connected together with a connection plate (sometimes supplied with the microwave oven).

Generally a microwave oven up-to 1900 watts output, comes complete with a moulded mains plug and can be plugged into a normal socket outlet having a rated current greater than 13 amps. Higher output microwave ovens generally need to be 'hardwired' in to a cooker point or correct 'commando' type plug (normally coloured blue for up to 20 amps or red up to 30 amps, but always consult a qualified electrician before connecting a microwave oven to a mains circuit if in any doubt.

If you connect two microwaves on the same ring main plus other electrical equipment (for example freezers, refrigerators, fans etc) when both microwaves are in use at the same time, this may cause your fuse to trip, it is due to the fact that you are trying to use too much power from the ring main, it is not the fault of the microwave oven and is a common fault in a busy kitchen.

NEVER place more than two microwaves on the same ring main or double plug socket. NEVER use extension leads.

NEVER place tall jugs in a microwave, unless, there is at least a 75 mil gap from the top. (A WIDER, SHORTER JUG IS PREFERABLE).

NEVER operate the microwave if empty or to warm up empty plates.

Clean up spillages when they occur, or they will bake in.
If you are not using a Cavity Protection System then you must keep the ceiling plate and microwave cavity clean at all times.

E & OE

PROOF ONLY

REGALE
ESTABLISHED 1983
MICROWAVE OVENS LTD

PANASONIC'S No1 UK WHOLESALER 2011 & 2012

Cavity Protection Systems Ltd

DAEWOO ELECTRONICS

Panasonic

SHARP

Merrychef

UNIT 12, GLENMORE BUSINESS CENTRE,
AERODROME ROAD, GOSPORT, PO13 0FJ
T: 01329 285518 F: 01329 284683

E: microwaves@regale.co.uk

When only the best will do,
ask the UK's leading Independent Microwave Oven Specialists

CAVITY PROTECTION SYSTEMS LIMITED

Cavity Protection Systems Ltd

NSF COMPONENT

Make your kitchen more efficient and extend the life of your microwave

Cavity Protection Systems have invented a unique commercial microwave oven liner. The Cavity Protection System offers significant commercial and operational advantages.

It is an easily removable and replaceable rigid TPX liner for the PANASONIC and SHARP compact range of heavy duty commercial microwave ovens.

The liner can be removed, cleaned and replaced in the oven, keeping the cavity clean and avoiding costly repairs and down time.

Hygienic

Keeps the cavity of the compact range of heavy duty PANASONIC and SHARP commercial microwave ovens spotlessly clean and looked after. A hygienic 'must'.

If spattering of food occurs, it leaves food particles on the roof liner, base and cavity which usually drip down on to the next dish, it can even cause expensive damage to the roof or base.

Easy to clean

All the operator has to do is to take the cavity liner out, give it a quick rinse and dry, then replace it back into the oven, keeping it clean and hygienic.

At the end of each session, just wash with a little washing up liquid and warm water, spray rinse and leave to dry. It can also be placed in a non caustic dishwasher.

PROOF ONLY

DAEWOO ELECTRONICS

60HTZ for offshore shipping only. NOT for general UK use or sale.

'ETL MARKED'. 2 PIN EUROPEAN PLUG FITTED

60HTZ version DAEWOO KOM9P11

Specifications

Output	1100 watts
External mm	542w x 461d x 329h
Internal mm	350w x 357d x 230h
Capacity	29 litres (1.02 cu. ft)
Power	1600w 230v 60htz.
Construction	S/Steel cavity/cabinet
Base Plate	Static Ceramic
Net Weight	18 kilo
Stackable	No
Magnetron	One. Top feed
Warranty	1 year parts only

Specifications

Output	1800 watts
External mm	465w x 563d x 370h
Internal mm	370w x 370d x 198h
Capacity	27 litres (0.95 cu. ft)
Power	3000w 230v 60htz.
Construction	S/Steel cavity/cabinet
Base Plate	Static Ceramic
Net Weight	33 kilo
Stackable	Yes, 2 high
Magnetrons	1 top & 1 bottom feed)
Warranty	1 year parts only

60HTZ version DAEWOO KOM9P85

Cavity Liner Available early 2013

60HTZ for offshore shipping only. NOT for general UK use or sale.

'ETL MARKED'. 2 PIN EUROPEAN PLUG FITTED

Merrychef Eikon Range



Easy ToUCH icon driven touch screen

USB memory stick data transfer, 1024 programs

Easy menu development using Menu Connect

Middle shelf provides maximum flexibility

2/3Gastronorm cavity for large multi-portion

Ideal when caterers need extra oven capacity to prime cook several items at the same time or to regenerate large multi-portion dishes. The e5 is redefining fast food pubs, bars, restaurants, hotels and contract catering. Also available with vent-less option (e5c)

Dimensions (mm)
External 642h x 712w x 705d
Internal 259h x 495w x 358d
Stainless steel construction. 30amp Hardwire

Model order number
E5NSW

Model order number
E5CSW

PROOF ONLY

It can save you money

the price of our liner is less than the cost of one repair...

Avoid down time

The Liner protects the entire microwave cavity from grease and food particles which - if left- can cause serious or even un-repairable damage to the oven.

Lack of the correct cleaning procedures can lead to malfunctioning (normally during the busiest periods) and is mostly due to ceiling plates sparking or base plates breaking rendering the oven un-usable. The Cavity Protection System helps to avoid this.

Avoid costly repairs

Food particles left on ceiling plates, base plates and light lens can cause serious damage to the interior of a microwave as they carbonise, cinder and then arc. A Cavity Protection Liner in the oven will alleviate these problems.

Value for money

The cost of just one repair could pay for a Cavity Protection Liner and in the future could save hundreds of pounds in repairs.

Don't take our word for it...

Dean Snee, Former Head of Food for the Orchid Pub Group says:

"Since the Cavity Protection System first came onto the market, it has been a 'must' that every new microwave within my kitchens, had a liner fitted."

The Orchid Group is made up of 290 pubs and restaurants.

"The cost saving alone makes it a great low cost investment, helping to ensure 'no down time' through broken base plates or roof liners burning, no high repair costs and no lost sales, just maximum production. The chefs found it easy and simple to clean and saved us money every day – it worked hard in our kitchens and just kept performing, saving the chef's time, energy and money"

Typical faults that occur include:

Ceiling plate burnt or missing

CEILING PLATE DAMAGED DUE TO FOOD PARTICLES NOT REMOVED

Ceramic base can be easily broken

BASE PLATE CRACKED AND SEALS DAMAGED BY GREASE PENETRATION

Damaged seals on the ceramic base

STIRRER ASSEMBLY BURNT OUT AFTER LEAKAGE OF DAMAGED SEALS

DAEWOO ELECTRONICS

Manual timer control

Model No KOM9M11

3 Years Warranty

Touch control

Model No KOM9P11

3 Years Manufacturer's on-site warranty

Specifications

Output	1100 watts
External	(w x d x h) mm 542 x 461 x 329
Internal	(w x d x h) mm 350 x 357 x 230
Capacity	29 litres (1.02 cu. ft)
Power Requirements	1600watts, 240v 50htz.
Construction Cavity	Stainless Steel
Construction Cabinet	Stainless Steel
Base Plate	Static Ceramic
Net Weight	18 kilo
Stackable	No
Magnetron	One. Top feed
Warranty	3 years

ALSO AVAILABLE KOM9P11 60HTZ MODEL FOR SHIPPING. See page 15

PROOF ONLY

e3 Merrychef Eikon Range e3c



easy TOUCH

Easy touch, icon driven
USB memory stick data transfer
Quick pre-heat time of only 15 minutes
Cool to touch exterior, easy clean interior

Redefining fast food in the 'grab and go' sector the Eikon e3 high speed cooking oven offers excellent results when cooking to order 3 of the 6 models are available with 'vent-less' operation (E3c)

They are ideally suited for coffee shops, forecourts, bakeries Kiosks. The microwave combination mode greatly reduces the cooking time and the unit can be used as a bake off oven in convection mode. The turn table gives you extremely even browning. Stainless steel construction.

Dimensions (mm)
External 551h x 598w x 622d
Internal 319h x 332w x 325d

E3EE
3.0kw Convection, 700w microwave
1.5kw Combination. 13amp plug in

***E3EX**
3.0kw Convection, 700w Microwave
30 amp hard wire

***E3XX**
3.0kw Convection, 1000w Microwave
30 amp hard wire

E3cEE
3.0kw Convection, 700w Microwave
1.5kw Combination. 13amp plug in

***E3cEX**
3.0kw Convection, 700w Microwave
30 amp hard wire

***E3cXX**
3.0kw Convection, 1000w Microwave
30 amp hard wire

Merrychef Eikon Range



e2 Rapid Cook Oven

Ideal for day bars, kiosks, Snack corners, Cafes, or Tearooms

Advance Cooking Technology with planar plume and microwave technologies for faster, even heating and browning.

Vent-less cooking capabilities via catalytic converter.10xfaster cook

Dimensions (mm)
External 633h x 383w x 785d mm
Internal 244h x 244w x 308d mm
Quiet operation. Stainless steel.

2.2 kilowatt convection
1000 watt microwave power
on 32 amp supply (model E2BDX)

2.2 kilowatt convection
900 watt microwave power
On 13 amp supply (model E2BGX)
power management system for 13A

1 Year Mfg on-site Warranty
Upgrades available

e4 Rapid Cook Oven

Ideal for quick service restaurants Service Stations, Hotels and Bars

Accelerated Cooking Technology combines three heat technologies Convection, Microwave, and Impingement.

Large cavity multi-portion dishes 15xfaster cook. Easy clean cavity

Dimensions (mm)
External 591h x 584w x 750d mm
Internal 218h x 375w x 312d mm
Cool touch exterior. Stainless steel.

3.2 kilowatt convection
1500 watt microwave power
32 amp single phase (E4CSV305HEU1)

3.2 kilowatt convection
1500 watt microwave power
32 amp twin phase (E4CSV305GCU1)
Please indicate phase required

1 Year Mfg on-site Warranty
Upgrades available

DAEWOO ELECTRONICS

Touch control
Model No KOM9F50
1500 WATT OUTPUT
3 Years Manufacturer's on-site Warranty
Cavity Liner will be available early 2013

Touch control
Model No KOM9P85
1850 WATT OUTPUT
3 Years Manufacturer's On-site warranty

Cavity Liner will be Available early 2013

Specifications

Outputs available	1500 watts or 1850 watts
External	(w x d x h) mm 465 x 563 x 370
Internal	(w x d x h) mm 370 x 370 x 198
Capacity	27 litres (0.95 cu. ft)
Power Requirements	2600w or 3000w @ 240v 50htz
Construction Cavity	Stainless Steel
Construction Cabinet	Stainless Steel
Base Plate	Static Ceramic
Net Weight	31 kilo or 33 kilo
Stackable	Yes, 2 high
Magnetrons	Two. (one top & one bottom feed)
Warranty	3 years

ALSO AVAILABLE KOM9P85 60HTZ MODEL FOR SHIPPING. See page 15

PROOF ONLY

Panasonic

Manual Control
NOT stackable

MODEL NE1027

MODEL NE1037

Touch Control
NOT stackable

3 Years Warranty

SPECIFICATIONS

1000w Output. Stainless steel cavity and cabinet.
Cubic Capacity 22 litres (0.78 cu. ft) Weight 18 kg.
Dimensions (mm)
External 510w x 360d x 306h - Internal 330w x 330d x 200h

MODEL NE1456*

Touch Control
1400watt output
Stackable kit included

3 YEARS ON-SITE
MANUFACTURER'S
WARRANTY
ALL PANASONIC OVENS

3 YEARS
WARRANTY
ALL PANASONIC
OVENS

MODEL NE1846*

Manual Control
3 power levels
1800 watt output
Stackable kit included

3 YEARS
WARRANTY
ALL PANASONIC
OVENS

MODEL NE1856*

Touch Control
1800 watt output
Stackable kit included

SPECIFICATIONS

Stainless steel cavity and cabinet. 13amp plug in.
Top and bottom emission for even cooking with 2 magnetrons
External 422w x 508d x 335h - Internal 330w x 310d x 175h (mm)

*DENOTES CAVITY LINER AVAILABLE FOR THIS MODEL.

PROOF ONLY

Panasonic

FREE ON-SITE TRAINING *plus*
3 Year Manufacturer's on-site Warranty

PANASONIC NE-C1275 COMBINATION

SPECIFICATIONS

1800w convection oven, 1800w grill, 1150w microwave
Dimensions (mm)
External 600w x 484d x 383h
Internal 406w x 336d x 217h
Stainless steel cavity and cabinet
13 amp plug-in. SD card technology

THE BEST VALUE COMBINATION MICROWAVE.

Page 10

MAESTROWAVE

1 Year on-site Warranty

MAESTROWAVE COMBI 6

combination microwave oven

50 Presets - 13 amp plug in - USB memory stick

1200w **microwave** - 1900w **grill** - 0 to 250 **degrees oven**

Stainless steel cabinet (mm) 600w x 510d x 385h

Vitreous enamel cavity (mm) 380w x 370d x 245h

PROOF ONLY

Panasonic

Page 7

PANASONIC NE1540

3 Years Manufacturer's Warranty

SPECIFICATIONS

Output 1500 watts
Dimensions (mm)
External 650w x 526d x 471h
Internal 535w x 330d x 250h
4 magnetrons, quad emission
Takes 2 full Gastronorm trays
Stainless steel cavity and cabinet
Ceramic shelf. 13 amp plug-in.

PANASONIC NE1880

3 Years Manufacturer's Warranty

SPECIFICATIONS

Output 1800 watts
Dimensions (mm)
External 650w x 526d x 471h
Internal 535w x 330d x 250h
4 magnetrons, quad emission
Takes 2 full Gastronorm trays
Stainless steel cavity and cabinet
Ceramic shelf 20 amp hardwire.

PANASONIC NE3280

3 Years Manufacturer's Warranty

SPECIFICATIONS

Output 3200 watts
Dimensions (in mm)
External 650w x 526d x 471h
Internal 535w x 330d x 250h
4 magnetrons, quad emission
Takes 2 full Gastronorm trays
Stainless steel cavity and cabinet
Ceramic Shelf. 30 amp hardwire.

Merrychef

You cannot stack these microwave ovens.

MICROCOOK HD1025 **1025 watt output Lift-up door.**
Dimensions (mm) External: 485h x 498w x 440d (with door open 610h)
Internal: 200h x 390w x 365d. 13 amp plug in.
3 years Manufacturer's on-site warranty

MICROCOOK HD1425 **1425 watt output Pop-up door.**
Dimensions (mm) External: 485h x 498w x 495d (with door open 610h)
Internal: 200h x 390w x 365d. 13 amp plug in.
3 years Manufacturer's on-site warranty

MICROCOOK HD1725 **1725 watt output Pop-up door.**
Dimensions (mm) External: 485h x 498w x 495d (with door open 610h)
Internal: 200h x 390w x 365d. 13 amp plug in.
3 years Manufacturer's on-site warranty

MICROCOOK HD1925 **1925 watt output Pop-up door.**
Dimensions (mm) External: 485h x 498w x 495d (with door open 610h)
Internal: 200h x 390w x 365d. 13 amp plug in.
3 years Manufacturer's on-site warranty

MICROCOOK HD2025 **2025 watt output Pop-up door.**
Dimensions (mm) External: 485h x 650w x 495d (with door open 610h)
Internal: 200h x 540w x 365d. 13 amp plug in.
3 years Manufacturer's on-site warranty

SHARP

MODEL R21AT **1000 watt output**
28 litre.(1.0 cu. ft) Light duty Touch Control
Stainless steel cavity (mm) 351w x 372d x 211h
Stainless steel cabinet (mm) 520w x 406d x 309h
1 year Manufacturer's on-site warranty. NOT stackable

MODEL R22AT* **1500 watt output**
20 litre.(0.7 cu. ft) Heavy duty Touch Control
Stainless steel cavity (mm) 330w x 330d x 180h
Stainless steel cabinet (mm) 510w x 470d x 335h
3 years Manufacturer's on-site warranty. Stackable
KIT INCLUDED

MODEL R23AM* **1900 watt output**
20 litre.(0.7 cu. ft) Heavy duty Manual Dial Control
Stainless steel cavity (mm) 330w x 330d x 180h
Stainless steel cabinet (mm) 510w x 470d x 335h
3 years Manufacturer's on-site warranty. Stackable
KIT INCLUDED

MODEL R24AT* **1900 watt output**
20 litre.(0.7 cu. ft) Heavy duty. Touch Control
Stainless steel cavity (mm) 330w x 330d x 180h
Stainless steel cabinet (mm) 510w x 470d x 335h
3 years Manufacturer's on site-warranty. Stackable
KIT INCLUDED

MODEL R1900M **1900 watt output**
21 litre.(0.75 cu. ft) Heavy duty. Touch Control
Stainless steel cavity (mm) 356w x 326d x 177h
Stainless steel cabinet (mm) 445w x 520d x 346h
3 years Manufacturer's on-site warranty. Stackable kit incl

***DENOTES CAVITY LINER AVAILABLE FOR THIS MODEL.**

PROOF ONLY